

AUTHOR INDEX TO VOLUME 10

A

Absolom, D. R. (book reviews),  
565, 659, 669, 755

Amagai, T., 349

Anderson, B., 601, 687

Anderson, D. W., 697

André, C. M., 541

Atassi, M. Z., 359, 483

Audibert, F., 511

B

Balint, J. P., Jr., 533

Bankert, R. B., 457

Bartlett, G. L., 719

Battisto, J. R., 673

Beitler, U., 567

Benoliel, A. M., 35

Beutner, E. H. (book reviews),  
455, 661

Bolton, R. W., 631

Bongrand, P., 35

Boulden, R., 395

Bronson, P. M., 549

Brunda, M. J., 577

C

Camerino, M. S., 417

Capo, C., 35

Carter, P. B., 591

Centis, D., 275

Chadha, K. C., 549

Chan, S. W., 27

Charron, D. J., 293

Cinader, B., 349

Cunningham, R. K., 209

D

Dahr, W., 173

David, C. S., 359

Davis, L., 687

Depieds, R., 35

DiBartolomeo, A. G., 733

Dinolfo, E. A., 549

Drzeniek, Z., 185

E

Entwistle, R., 687

Eva, A., 577

F

Feizi, T., 127

Ferrara, G. B., 275

Fudenburg, H. H., 9

G

Garrouste, F., 35

Gerber-Jenson, B., 707

Gleicher, N., 433

Goldrosen, M. H., 611

Gorzynski, E. A., (book reviews),  
79, 453, 561, 563, 667,  
757

Greenwell, P., 83

## H

Halsey, J. F., 21  
 Harris, C., 601  
 Hayward, A., 697  
 Hirayama, C., 401  
 Howell, J. H., 611  
 Hsia, J. C., 27  
 Hunt, J. S., 21

## I

Ikeda, Y., 533  
 Iseki, S., 215

## J

Jolivet, M., 511  
 Jones, C., 697

## K

Kapoor, Q. S., 45  
 Karol, R. A., 237  
 Kawahara, R. S., 383  
 Keller, S. E., 417  
 Kim, Y., 21  
 Knight, R. A., 367  
 Kors, N., 59  
 Kreider, J. W., 719  
 Kundu, S. K., 237  
 Kuśnierz, G., 185

## L

Lehmann, H., 359  
 Lewis, J. G., 541  
 Lisowska, E., 185  
 Litman, G. W., 707  
 Litman, R., 707

## M

MacDonald, T. T., 591  
 Madyasthā, K. R., 9  
 Marcus, D. M., 237

Margel, S., 567  
 Mayers, G. L., 457  
 McDonald, T. L., 741  
 Merry, A. H., 265  
 Middaugh, C. R., 707  
 Mohn, J. F., 101, 209, (erratum),  
 331  
 Moulds, J., 173  
 Myers, W. L., 407

## N

Nagai, T., 533  
 Naglich, J., 577  
 Nakamura, K., 367  
 Nakeeb, S. M., 641  
 Neter, E., 395  
 van Nieuwmegen, R., 59  
 Niswander, P. W., 1

## O

O'Connor, G. P., 483  
 Ofarim, M., 567  
 O'Keefe, M. L., 407  
 van Oss, C. J., 549, (book re-  
 views), 71, 75, 77, 451,  
 559, 657, 663, 671, 753,  
 759, 765, 767  
 Owens, N. A., 101, (erratum), 313

## P

Plunkett, R. W., 101, (erratum),  
 313  
 Proctor, J. W., 9  
 Puyat, L., 687

## R

Rabin, B. S., 733  
 Rawlinson, V. I., 265  
 Reichner, J. S., 523  
 Rodnan, G. P., 733  
 Rogers, J. C., 383  
 van Rooijen, N., 59  
 Roth, S., 601  
 Russo, A. J., 611

## S

Sache, E., 511-522  
Sakai, I., 215  
Scheffel, C., 707  
Schleifer, S. J., 417  
Schmid, F. R., '01, 687  
Sherman, J., 417  
Shindo, H., 367  
Siegel, I., 433  
Smith, H., Jr., 417  
Springer, G. F., 157  
Staple, P. H., 641  
Stein, M., 417  
Stratton, F., 265  
Suou, T., 401

## T

Tan, C. T., 27  
Tanaka, J. L., 9  
Tanigaki, N., 275  
Tamura, N., 401  
Taramelli, D., 577  
Tegtmeyer, H., 157  
Terman, D. S., 533  
Thacore, H. R., (book review), 557  
Tosi, R., 275  
Tritsch, G. L., 1  
Twining, S. S., 359

## U

Uhlenbruck, G., 251

## V

Varesio, L., 577  
Vladutiu, A. O., 341

## W

Watkins, W. M., 83  
Welles, W. L., 673

## Y

Yamamoto, S., 215  
Yamamura, Y., 9  
Yates, A. D., 83  
Young, C. R., 483

## Z

Zaleski, M. B., 341, 523





SUBJECT INDEX TO VOLUME 10

A

- N-Acetylmuramyl-L-alanyl-D-isoglutamine (MDP), lipophilic derivatives of, adjuvant activities of, incorporated in liposomes, 511-522
- ADA. See Adenosine deaminase (ADA)
- ADCC. See Antibody-dependent cell-mediated cytotoxicity (ADCC)
- Adenosine deaminase (ADA), activity of during phagocytosis and membrane perturbation of macrophages, correlated with superoxide formation, 1-8
- Adherent cells, irradiated, effect of on T-cell growth factor production in human T-lymphoblast cultures, 383-393
- Adjuvant activities, of lipophilic derivatives of MDP incorporated in liposomes, 511-522
- Adsorption, of microorganisms to surfaces, 71-73
- Allografts, rat skin, interaction of macrophages and lymphocytes in, 641-656
- American Society of Zoologists, 1981 Meeting of, (announcement), 213
- Aminoglycosides, effect of compared to effect of polymyxin B on antigen attachment to erythrocytes for agglutination by salmonella antibodies, 395-399
- Anaerobic bacteria, 563-564
- Antibodies
- anti-N, investigation of specificity of from dialysis patients by hemagglutination inhibition tests, 173-183
  - salmonella, effect of polymyxin B on antigen attachment to erythrocytes for agglutination by, compared to effect of aminoglycosides, 395-399
  - serum, presence of in normal human pregnancy determined by passive hemagglutination assay, 401-406
  - specific for collagen type II, suppression of adjuvant arthritis by, 673-685
- Antibody-dependent cell-mediated cytotoxicity (ADCC), human, effect of treatment with glutaurine on, 499-509
- Antigen attachment, effect of polymyxin B on to erythrocytes for agglutination by salmonella antibodies, compared to effect of aminoglycosides, 395-399

Antigenic sites, influence of changes in properties of on genetic control of antibody response to myoglobin, 483-498

## Antigens

Forssman and globoside glycolipid, immunochemical relationship between, in rabbits, 237-250

Ia, cellular expression and molecular structure of, on human lymphocytes, 293-311

HLA-D, in patients with progressive systemic sclerosis, 733-740

liposome associated, secondary immune response against in rabbits, 59-70

uptake of from gut of neonatal rats, facilitated by immune complexes, 21-26

## Antisera

anti-thyroxine, production of with thyroxine sensitized liposomes, in rabbits, 27-34

human, reaction of with blood group M erythrocytes or glycoprotein, 185-197

sperm whale myoglobin, of inbred mouse strains, analysis of cross reactivity of myoglobin with, 359-365

Anti-thy-1 response, studies of H-2 complementation affecting, in mice, 523-531

Arthritis, adjuvant, suppression of by antibodies specific for collagen type II, 673-685

## Autoantibodies

monoclonal, definition of blood group Ii system by, 127-156

oligoclonal, definition of blood group Ii system by, 127-156

Autoimmune disease, application of red cell immune adherence (RCIA) in, 433-449

Autoimmune response to thyroglobulin, control of by genes at the I-A subregion in mice, 341-347

## B

Binding, nonspecific, influence of medium-range electrostatic repulsion and short-range hydrophobic interaction on by macrophages of rats, 35-43

## Blood group

A and B, non-secretor saliva, inhibitory properties of, 101-126; 313-340

M, reaction of erythrocytes of glycoproteins of with human antiserum, 185-197

M and N, carbohydrates as structures immunodominant for specificities of, 157-171

H, active glycopeptides of from Euonymus Sieboldiana seeds, purification, composition and immunochemical properties of, 215-236

Blood group antigen, R1a (Rosenlund), reported in Norwegians, 199-207

## Blood group system

ABO, genetic and enzymic regulation of synthesis of A and B determinants in, 83-100

Ii, definition of by monoclonal or oligoclonal autoantibodies, 127-156

Blood monocytes, peripheral, binding of  $\alpha_2$  HS glycoprotein to, 541-547

Books received, 81-82; 769-770

Buffy coats, removal of from erythrocytes for the production of human leukocyte interferon, using hydroxyethyl starch (HES), 549-555

## C

Cancer, application of red cell immune adherence (RCIA) in, 433-449

- Carbohydrates, as immunodeterminant structures of blood group M and N specificities, 157-171
- Carcinoma, anaplastic, tumor associated immunosuppression in mice with, 45-58
- Cell labeling, use of polyacrolein microsphere for, 567-575
- Cell separation, use of polyacrolein microspheres for, 567-575
- Cellular expression, of Ia antigens on human lymphocytes, 293-311
- Chromatography, protein A affinity, isolation of human and canine IgM using, 533-540
- Clinical Immunodermatology, 455-456
- Clq  
     association of fibronectin with in Clq isolation procedure, 687-696  
     inhibition of binding of FN to by aggregated IgG, 601-609
- Clq-like factor, equine, method for isolation of circulating immune complexes by coprecipitation with, 741-752
- Collagen type II, suppression of adjuvant arthritis by antibodies specific for, 673-685
- Complementation, H-2, studies of affecting anti-thy-1 response in mice, 523-531
- Co-precipitation, method for isolation of circulating immune complexes by, with equine Clq-like factor, 741-752
- Cornybacterium parvum, specific unresponsiveness to, measured by delayed hypersensitivity in mice, 719-731
- Cross reactivity, analysis of of myoglobin with sperm whale myoglobin antisera of inbred mouse strains, 359-365
- Cryoglobulins, molecular basis for the temperature-dependent insolubility of, 707-718
- Cytotoxicity, antibody-dependent cell-mediated. See Antibody-dependent cell-mediated cytotoxicity (ADCC)
- D
- Determinants, A and B, genetic and enzymic regulation of synthesis of in ABO blood group system, 83-100
- Delayed type hypersensitivity (DTH), correlation between magnitude of and level of antibacterial immunity in mice, 591-599
- Dialysis patients, investigation of specificity of anti-N antibodies from, by hemagglutination inhibition tests, 173-183
- Distribution of human immunoglobulin allotypes, 663-665
- DTH. See Delayed type hypersensitivity (DTH)
- E
- Effector mechanisms in infectious diseases, 755
- Electrophoresis, polyacrylamide gel, anomalous mobility of monoclonal cryoimmunoglobulin heavy chains accompanying, in sodium dodecyl sulfate, 707-718
- Electrostatic repulsion, medium-range, influence of on non-specific binding by macrophages of rats, 35-43



- Endocytosis in host defense,  
753-754
- Enzymic regulation, of the synthesis of A and B determinants of the ABO blood group system, 83-100
- Erythrocyte membranes, 767
- Erythrocytes  
M, reaction of with human antiserum, 185-197  
removal of buffy coats from for production of human leukocyte interferon using hydroxyethyl starch (HES), 549-555
- Euonymus Sieboldiana seeds, purification, properties of blood group H active glycopeptides from, 215-236
- Exocytosis in host defense, 753-754

## F

- Fibronectin (FN)  
association of with Clq in Clq isolation procedure, 687-696  
inhibition of binding of to Clq by aggregated IgG, 601-609
- FN. See Fibronectin (FN)

## G

- Galactose specific reagents, position of Thomsen-Friedenreich (TF) receptor among, 251-264
- Genes, at the I-A subregion, control of autoimmune response to thyroglobulin by, in mice, 341-347
- Genetic control, influence of changes in properties of antigenic sites on, of antibody response to myoglobin, 483-498
- Genetic regulation, of synthesis of A and B determinants

- of the ABO blood group system, 83-100
- Glutaurine, effect of treatment with on human ADCC, 499-509
- Glycerol-teichoic acid (GTA), modulation of murine lymphocyte mitogen responses by, 631-640
- Glycopeptides, blood group H active, from Euonymus Sieboldiana seeds, purification, composition and immunochemical properties of, 215-236
- Glycoprotein  
 $\alpha_2$ HS, binding of to peripheral blood monocytes, 541-547  
M, reaction of with human antiserum, 185-197
- Growth factor production, T-cell, effect of phytohemagglutinin and irradiated adherent cells on in T-lymphoblast cultures, 383-393
- GTA. See Glycerol-teichoic acid (GTA)

## H

- Heavy chains, monoclonal cryo-immunoglobulin, anomalous mobility of, accompanying polyacrylamide gel electrophoresis in sodium dodecyl sulfate, 707-718
- Hemagglutination assay, passive, presence of serum antibodies in normal human pregnancy determined by, 401-406
- Hemagglutination inhibition tests, investigation of specificity of anti-N antibodies from dialysis patients by, 173-183
- Hepatitis B vaccine, 557-558
- HES. See Hydroxyethyl starch



- Host defense, endocytosis and exocytosis in, 753-754
- Humoral factors, involvement of in mechanism of reactivity of microplate LAI assay, 611-630
- Hybridization, antigen restricted, between antigen primed macrophage and thymic RNA, 367-382
- Hydrophobic interaction, short-range, influence of on non-specific binding by macrophages of rats, 35-43
- Hydroxyethyl starch (HES), removal of buffy coats from erythrocytes for production of human leukocyte interferon using, 549-555
- Hypersensitivity, delayed, specific unresponsiveness to Corynebacterium parvum, measured by, in mice, 719-731
- I
- I-A subregion, control of auto-immune response to thyroglobulin by genes at the, in mice, 341-347
- IgG, aggregated, inhibition of binding of FN to Clq by, 601-609
- IgM, human and canine, isolation of using protein A affinity chromatography, 533-540
- Immune complexes, circulating, method for isolation of by co-precipitation with an equine Clq-like factor, 741-752
- Immune complexes, uptake of antigen from gut of neonatal rat, facilitated by, 21-26
- Immune response, kinetics of to phthalate in BALB/c mice at the single cell level, 457-481
- Immune responses  
     secondary, against liposome associated antigens in rabbits, 59-70  
     tumor specific, detection of using capillary tube LAI assay, 407-416
- Immunity, antibacterial, correlation between magnitude of DTH and, in mice, 591-599
- Immunoassays, 77-78
- Immunobiology of Proteins, Second International Symposium on, announcement, 211
- Immunochemical definition of 8WDRw13 specificity, 275-292
- Immunochemical properties, of blood group H active glycopeptides from Euonymus Sieboldiana seeds, 215-236
- Immunochemical relationship, between Forssman and globoside glycolipid antigens, in rabbits, 237-250
- Immunodermatology, 661-662
- Immunodeterminant structures, carbohydrates as of specificities of blood group M and N, 157-171
- Immunochemical techniques, 451-452
- Immunological recognition in infectious diseases, 755
- Immunology  
     cell interaction in and regulation of, 559-560  
     fundamentals of, 765-766
- Immunosuppression, tumor associated, in mice with anaplastic carcinoma, 45-58
- Infections of the gastrointestinal tract, 561-562
- Infections in immunocompromised host-pathogenesis, 667-668

- Infectious diseases  
     biological and clinical basis of, 75-76  
     immunological recognition and effector mechanisms in, 755
- Insolubility, temperature-dependent, molecular basis for of cryoglobulins, 707-718
- Interferon, human leukocyte, removal of buffy coats from erythrocytes for the production of, using hydroxyethyl starch (HES), 549-555
- Isolation procedure, Clq, association of fibronectin with Clq in, 687-696

## L

- LAI assay. *See* Leukocyte adherence inhibition (LAI) assay
- Lectin, anti-T, peanut, rapid purification method for, 265-273
- Leukocyte adherence inhibition (LAI) assay  
     capillary tube, detection of tumor specific immune responses using, 407-416  
     microplate, humoral factors involved in mechanism of reactivity of, 611-630
- Liposomes  
     adjuvant activities of lipophilic derivatives of MDP incorporated in, 511-522  
     thyroxine sensitized, production of anti-thyroxine antisera with, in rabbits, 27-34
- Leukemia, acute lymphoblastic, which produces T-cell growth factor, 697-706
- Lymphocytes  
     human, molecular structure and cellular expression of Ia antigens on, 293-311  
     interaction of and macrophages in rat skin allografts, 641-656
- Lymphocyte circulation, 659
- Lymphocyte stimulation, whole blood and isolated, comparison of, 417-431
- Lymphokines, 657-658

## M

- Macrophage, antigen primed, antigen restricted hybridization between thymic RNA and, 367-382
- Macrophages  
     759-764  
     mouse, adenosine, deaminase activity correlated with superoxide formation during phagocytosis and membrane perturbation of, 1-8  
     interaction of and lymphocytes in rat skin allografts, 641-656  
     method to evaluate incorporation of  $^3\text{H}$ -uridine by *in vitro* into TCA precipitable material, 577-589  
     rat, influence of medium-range electrostatic repulsion and short-range hydrophobic interaction on non-specific binding by, 35-43
- MDP. *See* N-acetylmuramyl-L-alanyl-D-isoglutamine (MDP)
- Membrane perturbation of macrophages, adenosine deaminase activity and superoxide formation during, 1-8
- Mice  
     adenosine deaminase activity correlated with superoxide formation during phagocytosis and membrane perturbation of macrophages of, 1-8

## [Mice]

- BALB/c, kinetics of the immune response to phthalate at the single cell level in, 457-481
- control of autoimmune response to thyroglobulin by genes at the I-A subregion in, 341-347
- inbred strains, analysis of cross reactivity of myoglobin with sperm whale myoglobin antisera of, 359-365
- mitogenic responses of murine T-cells to two subcomponents of PHA, 9-20
- SJL, age-dependent resistance against tolerance induction in, 349-358
- studies of H-2 complimentation affecting anti-thy-1 response in, 523-531
- tumor associated immunosuppression in with anaplastic carcinoma, 45-48
- Microbial adhesion to surfaces, 565-566
- Microbiology-1981, 757-758
- Microspheres, polyacrolein, synthesis of and application of for cell labeling and cell separation, 567-575
- Mitogen responses, murine lymphocyte, modulation of by GTA, 631-640
- Mitogenic responses, of murine T-cells to two subcomponents of PHA, 9-20
- Mobility, anomalous, of monoclonal cryoimmunoglobulin heavy chains accompanying polyacrylamide gel electrophoresis in sodium dodecyl sulfate, 707-718
- Molecular basis, for temperature-dependent insolubility of cryoglobulins, 707-718
- Molecular structure, of Ia antigens on human lymphocytes, 293-311

## Myoglobin (MB)

- analysis of the cross reactivity of with sperm whale myoglobin antisera of inbred mouse strains, 359-365
- genetic control of immune response to, 359-365; 483-498
- influence of changes in properties of antigenic sites on genetic control of antibody response to, 483-498

## N

- Norwegians, report of blood group antigen R1a in, 199-207

## P

- Pathogenicity, microbial basis of, 79-80
- Peanut, anti-T lectin, rapid purification method for, 265-273
- PHA. See Phytohemagglutinin (PHA)
- Phagocytosis, of macrophages, adenosine deaminase activity and superoxide formation during, 1-8
- Phthalate, kinetics of immune response to at the single cell level in BALB/c mice, 457-481
- Phytohemagglutinin (PHA)
  - effect of on T-cell growth factor production in human T-lymphoblast cultures, 383-393
  - subcomponents of, mitogenic responses of murine T-cells to, 9-20
- Polymyxin B, effect of on antigen to erythrocytes for agglutination by salmonel-



- [Polymyxin B]  
 la antibodies, compared  
 to effect of aminoglyco-  
 sides, 395-399
- Pregnancy, normal human, serum  
 antibodies in determined by  
 passive hemagglutination  
 assay, 401-406
- Progress in immunology, 671-672
- R
- R1<sup>a</sup> (Rosenlund). See Blood group  
 antigen, R1<sup>a</sup> (Rosenlund)
- Rabbits  
 immunochemical relationship be-  
 tween Forssman and globo-  
 side glycolipid antigens  
 in, 237-250  
 production of anti-thyroxine  
 antisera with thyroxine  
 sensitized liposomes in,  
 27-34  
 secondary immune response  
 against liposome associated  
 antigens in, 59-70
- Rats  
 influence of medium-range elec-  
 trostatic repulsion and  
 short-range hydrophobic  
 interaction on non-specific  
 binding by macrophages of,  
 35-43  
 neonatal, uptake of antigen  
 from gut of, facilitated by  
 immune complexes, 21-26
- RCIA. See Red cell immune adher-  
 ence (RCIA)
- Reactivity, mechanism of, humoral  
 factors involved in of  
 microplate LAI assay, 611-  
 630
- Red cell immune adherence (RCIA),  
 application of in cancer  
 and autoimmune disease,  
 433-449
- Resistance, age-dependent,  
 against tolerance induction  
 in SJL mice, 349-358
- RNA, thymic, antigen restricted  
 hybridization between an-  
 tigen primed macrophage  
 and, 367-382
- S
- Saliva, non-secretor, blood  
 group A and B, inhibi-  
 tory properties of, 101-  
 126; 313-340
- Scleroderma. See Sclerosis,  
 progressive systemic
- Sclerosis, progressive systemic,  
 HLA-D antigens in pa-  
 tients with, 733-740
- Seminars in Infectious Disease,  
 453-454
- Significance of the Thomsen-  
 Friedenreich (TF) recep-  
 tor, 251-264
- Single cell level, kinetics of  
 immune response to phtha-  
 late in BALB/c mice at,  
 457-481
- Sodium dodecyl sulfate, anoma-  
 lous mobility of mono-  
 clonal cryoimmunoglobulin  
 heavy chains accom-  
 panying polyacrylamide  
 gel electrophoresis in,  
 707-718
- Specificities, blood group M  
 and N, carbohydrates as  
 immunodeterminant struc-  
 tures of, 157-171
- Specificity  
 investigation of, of anti-N  
 antibodies from dialysis  
 patients by hemaggluti-  
 nation inhibition tests,  
 173-183  
 8WDRw13, immunochemical def-  
 inition of, 275-292
- Sperm whale, analysis of cross  
 reactivity of myoglobin  
 of with antisera of in-  
 bred mouse strains, 359-  
 365
- Subgroups A<sub>1</sub> and A<sub>2</sub>, addendum,  
 209

Superoxide, formation of during phagocytosis and membrane perturbation of macrophages, correlated with adenosine deaminase activity, 1-8

## T

TCA. See Trichloroacetic acid (TCA)

T-cell growth factor (TCGF), human, an acute lymphoblastic leukemia which produces, 697-706

T-cells,  
effect of phytohemagglutinin and irradiated adherent cells on the growth factor production of in human T-lymphoblast cultures, 383-393

murine, mitogenic responses of to two subcomponents of PHA, 9-20

TCGF. See T-cell growth factor  
Thomsen-Friedenreich (TF) receptor, significance of and its position among galactose specific reagents, 251-264

Thyroglobulin, control of the autoimmune response to in mice by genes at I-A sub-region, 341-347

Thyroxine, production of anti-thyroxine antisera with liposomes sensitized with, in rabbits, 27-34

T-lymphoblast, human, cultures of, effect of phytohemagglutinin and irradiated adherent cells on the growth factor production of T-cells in, 383-393

Tolerance induction, age-dependent resistance against in SJL mice, 349-358

Trichloroacetic acid (TCA) precipitable material, method to evaluate incorporation of  $^3\text{H}$ -uridine by macrophages in vitro into, 577-589

Tumor cell surfaces and malignancy, 669-670

## U

Unresponsiveness, specific, to Cornybacterium parvum as measured by delayed hypersensitivity in mice, 719-731

$^3\text{H}$ -Uridine, method to evaluate incorporation of by macrophages in vitro into TCA precipitable material, 577-589





COLLECTIVE CONTENTS TO VOLUME 10

Volume 10, Number 1, 1981

Adenosine Deaminase Activity and Superoxide Formation During  
Phagocytosis and Membrane Perturbation of Macrophages. . . . . 1  
*G. L. Tritsch and P. W. Niswander*

Differences in Mitogenic Responses of Murine T Cells to Two Distinct  
Phytohemagglutinin (PHA) Subcomponents . . . . . 9  
*Y. Yamamura, J. L. Tanaka, K. R. Madyastha, H. H. Fudenberg, and  
J. W. Proctor*

Immune Complexes Facilitate Uptake of Antigen from the Gut . . . . . 21  
*J. S. Hunt, Y. Kim, and J. F. Halsey*

Specific Anti-Thyroxine Antisera Induced by Thyroxine Sensitized  
Liposomes . . . . . 27  
*C. T. Tan, S. W. Chan, and J. C. Hsia*

Non-Specific Binding by Macrophages: Evaluation of the Influence  
of Medium-Range Electrostatic Repulsion and Short-Range Hydro-  
phobic Interaction. . . . . 35  
*C. Capo, F. Garrouste, A. M. Benoliel, P. Bongrand, and R. Depieds*

Tumor Associated Immunosuppression in Mice Bearing Anaplastic  
Carcinoma . . . . . 45  
*Q. S. Kapoor*

The Secondary Immune Response Against Liposome Associated  
Antigens . . . . . 59  
*N. van Rooijen, R. van Nieuwmegen, and N. Kors*

Book Reviews. . . . . 71

Books Received. . . . . 81

Volume 10, Number 2, 1981

*Special Issue on Immunohematology*

Preface . . . . . v  
*J. F. Mohn*

The Genetic and Enzymic Regulation of the Synthesis of A and B  
Determinants in the ABO Blood Group System. . . . . 83  
*W. M. Watkins, P. Greenwell, and A. D. Yates*

The Inhibitory Properties of Group A and B Non-Secretor Saliva . . . . . 101  
*J. F. Mohn, N. A. Owens, and R. W. Plunkett*

The Blood Group Ii System: A Carbohydrate Antigen System Defined  
by Naturally Monoclonal or Oligoclonal Autoantibodies of Man. . . . . 127  
*T. Feizi*

Further Evidence that Carbohydrates Are the Immunodeterminant  
Structures of Blood Group M and N Specificities. . . . . 157  
*G. F. Springer and H. Tegtmeier*

An Immunochemical Study on Anti-N Antibodies from Dialysis Patients. . . 173  
*W. Dahr and J. Moulds*

A Human Antiserum Reacting with Modified Blood Group M Deter-  
minants . . . . . 185  
*Z. Drzeniek, G. Kuśnierz, and E. Lisowska*

A Rare Blood Group Antigen, RI<sup>a</sup> (Rosenlund). . . . . 199  
*L. Kornstad*

Addendum. . . . . 209

Announcements . . . . . 211

Volume 10, Number 3, 1981

*Special Issue on Immunohematology*

Purification, Composition and Immunochemical Properties of Arabino-  
galactan-Protein H Active Glycopeptides from *Euonymus sieboldiana*  
Seeds . . . . . 215  
*S. Yamamoto, I. Sakai, and S. Iseki*

Immunochemical Relationship between Forssman and Globoside  
Glycolipid Antigens . . . . . 237  
*R. A. Karol, S. K. Kundu, and D. M. Marcus*

The Thomsen-Friedenreich (TF) Receptor: An Old History with New  
Mystery . . . . . 251  
*G. Uhlenbruck*

A Rapid Purification Method for Peanut Anti-T Lectin . . . . . 265  
*A. H. Merry, V. I. Rawlinson, and F. Stratton*

Immunochemical Definition of the New DR Specificity 8WDRw13 . . . . . 275  
*R. Tosi, N. Tanigaki, D. Centis, and G. B. Ferrara*

Cellular Expression and Molecular Structure of Ia Antigens on Human  
Lymphocytes: An Overview . . . . . 293  
*D. J. Charron*

Erratum: The Inhibitory Properties of Group A and B Non-Secretor  
Saliva . . . . . 313  
*J. F. Mohn, N. A. Owens, and R. W. Plunkett*

Volume 10, Numbers 4&5, 1981

Gene(s) at *I-A* Subregion Controls the Autoimmune Response to Thyro-  
globulin in Mice . . . . . 341  
*A. O. Vladutiu and M. B. Zaleski*

Resistance Against Tolerance Induction in SJL Mice . . . . . 349  
*T. Amagai and B. Cinader*

Genetic Control of the Immune Response to Myoglobin. V. Analysis of  
the Cross-Reactivity of 12 Myoglobins with Sperm-Whale Myoglobin  
Antisera of Inbred Mouse Strains in Terms of Substitutions in the Anti-  
genic Sites and in the Environmental Residues of the Sites . . . . . 359  
*M. Z. Atassi, S. S. Twining, H. Lehmann, and C. S. David*

Antigen Restricted Hybridization between Antigen Primed Macrophage  
and Thymic RNA . . . . . 367  
*K. Nakamura, H. Shindo, and R. A. Knight*

Persistence of Cells Capable of T-Cell Growth Factor Production in  
Long-Term Human T-Lymphoblast Cultures. . . . . 383  
*R. S. Kawahara, and J. C. Rogers*

Aminoglycosides and Polymyxin B as Inhibitors of Antigen Attachment  
to Erythrocytes for Agglutination by Salmonella Antibodies . . . . . 395  
*E. Neter and R. Boulden*



<b>Serum Antibodies to Albumins in Normal Human Pregnancy . . . . .</b>	<b>401</b>
<i>C. Hirayama, N. Tamura, and T. Suou</i>	
<b>Use of Capillary Tube Leukocyte Adherence Inhibition for the Detection of Tumor-Specific Immune Responses . . . . .</b>	<b>407</b>
<i>W. L. Myers and M. L. O'Keefe</i>	
<b>Comparison of a Simplified Whole Blood and Isolated Lymphocyte Stimulation Technique . . . . .</b>	<b>417</b>
<i>S. E. Keller, S. J. Schleifer, J. Sherman, M. S. Camerino, H. Smith, Jr., and M. Stein</i>	
<b>Red Cell Immune Adherence (RCIA): Its Application in Cancer and Autoimmune Disease . . . . .</b>	<b>433</b>
<i>I. Siegel and N. Gleicher</i>	
<b>Book Reviews . . . . .</b>	<b>451</b>

# Volume 10, Number 6, 1981

<b>Immune Response of BALB/c Mice to Phthalate: Characterization of a New and Useful Model for Studying Immune Regulation . . . . .</b>	<b>457</b>
<i>R. B. Bankert and G. L. Mayers</i>	
<b>Genetic Control of the Immune Response to Myoglobin. VII. Antibody Responses to Myoglobin Variants Reveal that Gene Restriction of the Antibody Responses to Myoglobin Antigenic Sites is Dependent on the Chemical Properties of the Sites . . . . .</b>	<b>483</b>
<i>C. R. Young, G. P. O'Connor, and M. Z. Atassi</i>	
<b>Effect of Treatment with Glutaurine on Human Antibody — Dependent Cell — Mediated Cytotoxicity (ADCC). . . . .</b>	<b>499</b>
<i>I. Lang, L. Feuer, K. Nékám, K. Török, L. Kalmár, and P. Gergely</i>	
<b>Biological Studies of Lipophilic MDP-Derivatives Incorporated in Liposomes . . . . .</b>	<b>511</b>
<i>M. Jolivet, E. Sache, and F. Audibert</i>	
<b>The Search for H-2 Complementation Affecting the Anti-Thy-1 Response in Mice: A Progress Report . . . . .</b>	<b>523</b>
<i>J. S. Reichner and M. B. Zaleski</i>	
<b>Isolation of Human and Canine IgM Utilizing Protein A Affinity Chromatography . . . . .</b>	<b>533</b>
<i>J. P. Balint, Jr., Y. Ikeda, T. Nagai, and D. S. Terman</i>	

Binding of $\alpha_2$ HS Glycoprotein to Peripheral Blood Monocytes. . . . .	541
<i>J. G. Lewis and C. M. Andre</i>	
Two Methods for the Removal of Erythrocytes from Buffy Coats for the Production of Human Leukocyte Interferon. . . . .	549
<i>C. J. van Oss, P. M. Bronson, E. A. Dinolfo, and K. C. Chadha</i>	
Book Reviews. . . . .	557

### Volume 10, Number 7, 1981

A Novel Synthesis of Polyacrolein Microspheres and Their Application for Cell Labeling and Cell Separation. . . . .	567
<i>S. Margel, U. Beitler, and M. Ofarim</i>	
Microsystem to Evaluate the Incorporation of $^3\text{H}$ -Uridine in Macrophage RNA. . . . .	577
<i>L. Varesio, J. Naglich, M. J. Brunda, D. Taramelli, and A. Eva</i>	
A Functional Relationship between Delayed Hypersensitivity and Anti- bacterial Immunity . . . . .	591
<i>T. T. MacDonald and P. B. Carter</i>	
Binding of Fibronectin to Clq; Inhibition of Binding by Aggregated IgG . . . .	601
<i>C. Harris, S. Roth, F. R. Schmid, and B. Anderson</i>	
Humoral Factors Involved in the Mechanism of Reactivity of the Micro- plate Leukocyte Adherence Inhibition Assay . . . . .	611
<i>A. J. Russo, J. H. Howell, and M. H. Goldrosen</i>	
Modulation of Murine Lymphocyte Mitogen Responses by Glycerol- Teichoic Acid . . . . .	631
<i>R. W. Bolton</i>	
Interaction of Macrophages and Lymphocytes in Rat Skin Allografts . . . . .	641
<i>P. H. Staple and S. M. Nakeeb</i>	
Book Reviews. . . . .	657

### Volume 10, Number 8, 1981

Suppression of Adjuvant Arthritis by Antibodies Specific for Collagen Type II . . . . .	673
<i>W. L. Welles and J. R. Battisto</i>	

**Fibronectin Associated with C1q in a C1q Isolation Procedure. . . . . 687**  
*B. Anderson, R. Entwistle, L. Puyat, L. Davis, and F. R. Schmid*

**An Acute Lymphoblastic Leukemia Which Produces Human T Cell Growth Factor . . . . . 697**  
*D. W. Anderson, A. Hayward, and C. Jones*

**Molecular Basis for the Temperature-Dependent Insolubility of Cryoglobulins. XII. Anomalous Mobility of Monoclonal Cryoimmunoglobulin Heavy Chains Accompanying Polyacrylamide Gel Electrophoresis in Sodium Dodecyl Sulfate . . . . . 707**  
*G. W. Litman, C. Scheffel, B. Gerber-Jenson, R. Litman, and C. R. Middaugh*

**Specific Unresponsiveness to *Corynebacterium parvum* as Measured by Delayed Hypersensitivity . . . . . 719**  
*G. L. Bartlett and J. W. Kreider*

**HLA-D Antigens in Progressive Systemic Sclerosis (Scleroderma) . . . . . 733**  
*A. G. DiBartolomeo, B. S. Rabin, and G. P. Rodnan*

**Isolation of Immune Complexes by an Equine C1q-Like Factor . . . . . 741**  
*T. L. McDonald*

**Book Reviews. . . . . 753**

**Books Received. . . . . 769**

**Author Index to Volume 10 . . . . . 771**

**Subject Index to Volume 10 . . . . . 775**



## INSTRUCTIONS FOR PREPARATION OF MANUSCRIPTS FOR DIRECT REPRODUCTION

IMMUNOLOGICAL COMMUNICATIONS is a bi-monthly journal in the English language for the rapid communication of immunological information.

### Directions for Submission to IMMUNOLOGICAL COMMUNICATIONS

One manuscript suitable for direct reproduction (see Instructions for Preparation), carefully inserted in a folder, and two copies of the manuscript must be submitted.

### Reprints

Owing to the short production time for articles in this journal it is essential to indicate the number of reprints required upon notification of acceptance of the manuscript. Reprints are available in quantities of 100 and multiples thereof, in addition to the twenty (20) free copies provided to the senior author with orders of 100 or more reprints; a reprint price list will be sent to the senior author with the notification of acceptance of the manuscript.

### Manuscripts should be mailed to:

Editorial Office, The Center for Immunology  
203 Sherman Hall, School of Medicine  
State University of New York at Buffalo  
Buffalo, New York 14214

### INSTRUCTIONS FOR THE PREPARATION OF MANUSCRIPTS

Since all the contributions are reproduced by direct photography of the manuscripts, the following instructions must be strictly adhered to. Non-compliance will result in the return of the manuscript to the author(s) and delay in its publication.

### Typing Instructions

1. Manuscript must be typewritten, double spaced, on good quality white bond paper measuring at least 8½ x 11 inches.
2. It is essential to use a black typewriter ribbon in good condition so that a clean and clear impression of the letters is obtained. Erasure marks, smudges, creases, etc., should be avoided. (Errors may be corrected by using white opaque correcting fluids or tapes).
3. All formulas and equations should be typed in or carefully prepared in permanent black ink, using drawing instruments.
4. The typing area of page 1, including the title, should be 6¼ by 8½ inches and that of all other pages 6¼ x 9½ inches. Make maximum use of the typing area.
5. Tables should be typed as part of the text but in such a way as to separate them from the text by a three-line space at both top and bottom of each table. The title "TABLE" (capitalized and followed by a Roman number) should precede the table and be centered on the page. Care should be taken that a table does not overlap onto the next page.
6. Drawings, graphs and other numbered figures should be drawn in black India ink (do not use blue ink) on a separate piece of white paper. Photographs should be glossy prints. Lettering set should be used for all labels on the figures or photographs; a typewriter may be used for labels. Captions for the figures should be

typed (single spaced) on a separate sheet, along the full width of the type page. The indication "FIGURE" should be capitalized and, with the figure's number (in Arabic numerals), centered above the caption. The numbers of the figures or photographs as well as the name(s) of the author(s) should be written in blue pencil on the back; the top of the picture should also be indicated on the back. The author(s) should indicate (with a blue pencil) the places in the text where the picture(s) should be inserted.

7. References (including footnotes) in the text will be numbered consecutively by numbers in parentheses. The full references (and footnotes) will be collected at the end of the text. The last names of all authors to any one paper, followed by their initials, shall be quoted. The title of the journal (Chemical Abstracts abbreviations), the volume number (underlined), the first page and the year should follow, in that order. Books should be cited similarly and include the publisher's name and location along with the year and edition of the book. Articles or chapters in books should be cited similarly and include the name of the editor(s) of the book and the page on which the article begins, as well as the volume number.  
(journal): Thrasher, S. G., Doroszczak, N. and Cohen, S., J. Immun., 107:1394, 1971.  
(book): Pressman, D. and Grossberg, A. L., The Structural Basis of Antibody Specificity. W. A. Benjamin, Inc., New York, 1968.  
(article in a book): Milgrom, F., in International Convocation on Immunology, edited by N. R. Rose and F. Milgrom, p. 270, S. Karger, New York, 1969.

### Format of Manuscripts

1. The entire title should be in capital letters and centered on the width of the typing area, at least two inches from the top of the page. This is followed by a one-line space and then by the name(s) and address(es) of the author(s), in the following way:

#### AUTOIMMUNE RESPONSES TO THYROGLOBULIN IN THE RAT

T. J. Atkins and H. Z. Ginsberg  
Departments of Microbiology and Pathology,  
School of Medicine, State University of New York  
at Buffalo, Buffalo, New York 14214

2. The title and the name and address of the author(s) are followed, after a three-line space, by an abstract, comprising less than 10% of the length of the text of the article. The abstract must be typed single-spaced and headed "Abstract".
3. After a three-line space, the article itself commences, whenever possible subdivided into sections such as "Materials and Methods," "Results," "Discussion," "Acknowledgments" and "References." The headings should be centered, underlined, and separated by one extra line space from the typed material that precedes and follows it.
4. Each page of manuscript should be numbered lightly at the bottom of the sheet, with a blue pencil.

# IMMUNOLOGICAL COMMUNICATIONS

Volume 10, Number 8, 1981

## CONTENTS

Suppression of Adjuvant Arthritis by Antibodies Specific for Collagen Type II . . . . .	673
<i>W. L. Welles and J. R. Battisto</i>	
Fibronectin Associated with C1q in a C1q Isolation Procedure. . . . .	687
<i>B. Anderson, R. Entwistle, L. Puyat, L. Davis, and F. R. Schmid</i>	
An Acute Lymphoblastic Leukemia Which Produces Human T Cell Growth Factor . . . . .	697
<i>D. W. Anderson, A. Hayward, and C. Jones</i>	
Molecular Basis for the Temperature-Dependent Insolubility of Cryoglobulins. XII. Anomalous Mobility of Monoclonal Cryoimmunoglobulin Heavy Chains Accompanying Polyacrylamide Gel Electrophoresis in Sodium Dodecyl Sulfate . . . . .	707
<i>G. W. Litman, C. Scheffel, B. Gerber-Jenson, R. Litman, and C. R. Middaugh</i>	
Specific Unresponsiveness to <i>Corynebacterium parvum</i> as Measured by Delayed Hypersensitivity . . . . .	719
<i>G. L. Bartlett and J. W. Kreider</i>	
HLA-D Antigens in Progressive Systemic Sclerosis (Scleroderma) . . . . .	733
<i>A. G. DiBartolomeo, B. S. Rabin, and G. P. Rodnan</i>	
Isolation of Immune Complexes by an Equine C1q-Like Factor . . . . .	741
<i>T. L. McDonald</i>	
Book Reviews. . . . .	753
Books Received. . . . .	769
Author Index to Volume 10 . . . . .	771
Subject Index to Volume 10 . . . . .	775
Collective Contents to Volume 10 . . . . .	785

---

MARCEL DEKKER, INC. New York and Basel  
Contributions to this journal are published free of charge